



City of  
**Los Banos**  
*At the Crossroads of California*

City of Los Banos  
Public Works Department  
411 Madison Avenue  
Los Banos, California 93635  
209-827-7056

## **NOTICE TO BIDDERS**

PROPOSAL FOR THE PURCHASE OF ONE  
NEW 2017/2018 MODEL CAB AND CHASSIS

SEPTEMBER 8, 2017

**ADDENDUM # 1**

Bidders are hereby informed that the bid specifications for the above mentioned truck have been modified, corrected, and/or supplemented. The addendum page in the Invitation for Sealed Bids package must be submitted with the Bid Proposal forms. The **CHASSIS, SUSPENSION, EXTERIOR AND CAB INTERIOR** sections identified below in this addendum shall replace the same named sections in the Bid Specifications. This bid specification modifications must be submitted with the Bid Proposal forms. The modified information in the following is shown in italics.

**Yes No**      **Each line specification requires checking either the Yes or No box**  
**CHASSIS**

- Three axle (one front two rear driving).
- ~~GVWR-33,000 pounds (minimum).~~  
*GVWR-52,000 pounds (minimum).*
- ~~198" inch wheel base (center of front wheel to center between rear axles)~~  
*Shall read 130 inches (from back of cab to center between rear axles)*  
*with 52 inches of after frame (center line of rear axles to end of frame) (minimum).*
- Cab-standard conventional with tilt hood.
- License plate mounting: front and back.
- ~~Rear bumper with LED tail lights, backup lights and alarm.~~  
*Shall read LED tail lights, backup lights and alarm.*
- ~~Rear bumper with 2" inch receiver.~~  
*Shall be removed and installed by builder.*
- Front bumper chrome two tow hooks.
- Mud flaps installed behind rear axle.
- Rear fenders to cover both sets of tires.
- Fuel tank 50 gallons.

**SUSPENSION**

- 12,000 pounds front axle (minimum).
- ~~21,000 pounds in rear (minimum).~~  
*Shall read 20,000 pounds in front rear and 20,000 pounds rear (minimum).*
- Driver controlled main locking differential in rear axle.
- Heavy duty front shocks with air ride rear axle (or equivalent).
- 295/75RX22.5 14 PLY all season (or equivalent).

**Yes No**      **Each line specification requires checking either the Yes or No box**

**EXTERIOR**

- White cab and black frame.
- Power mirrors.
- One eight inch convex mirror mounted on right of cab hood.
- Work light behind cab.
- ~~7 way trailer plug mounted in rear.~~  
Shall read 7 way trailer plug mounted in rear for individual lights.

**CAB INTERIOR**

- Floor covering gray vinyl.
- Air ride gray drivers and passenger vinyl seat with lumber support and arm rests.
- Floor mats black with manufacturer's trademark.
- Tinted glass.
- 12 volt power accessory plug on dash.
- Power windows and door locks.
- Air horn.
- Sun visors right and left.
- Factory air conditioning, heating, and defroster.
- AM/FM/CD stereo with Bluetooth capability.
- Dome light.
- Road reflectors DOT (Department of Transportation) requirement (mounted).
- First aid kit DOT (Department of Transportation) requirements (mounted).
- Fire extinguisher 5 lbs ABC DOT (Department of Transportation) requirements (mounted).
- Six (6) complete sets of keys for truck.
- ~~5 year bumper to bumper warranty.~~  
Shall read 5 year 100,000 mile bumper to bumper warranty.
- Must be delivered with **full tank of fuel** by bidder at delivery.