



City of  
**Los Banos**  
*At the Crossroads of California*

CITY OF LOS BANOS  
PUBLIC WORKS DEPARTMENT

**INVITATION FOR SEALED BIDS**

PROPOSAL FOR THE PURCHASE OF A  
NEW 2018/2019 MODEL  
MEDIUM DUTY UTILITY FLAT BED TRUCK

City of Los Banos  
Public Works Department  
411 Madison Avenue  
Los Banos, CA 93635  
(209) 827-7056

Mark Fachin P.E.  
Public Works Director/ City Engineer

**The sealed bids must be received no later than 2 p.m.**

**Tuesday, September 18, 2018**

**By the office of the City Clerk**

**520 J Street  
Los Banos, CA 93635**

# INVITATION FOR SEALED BIDS

CITY OF LOS BANOS  
PUBLIC WORKS DEPARTMENT  
411 Madison Avenue  
Los Banos, CA 93635  
(209) 827-7056

NOTICE IS HEREBY GIVEN that the LOS BANOS PUBLIC WORKS DEPARTMENT (herein called the "Owner") invites and will receive sealed bids up to the hour of 2:00 p.m. Pacific Daylight Savings Time (PDT) on **Tuesday, September 18, 2018** for the purchase of One (1) New 2018/2019 Model Medium Duty Flat Bed Utility Truck. At said time, sealed Bid Proposal (herein called the "Bid") will be publicly opened and read aloud in the City of Los Banos Council Chambers by the office of the City Clerk at:

**Los Banos City Hall  
520 "J" Street  
Los Banos, California 93635**

Questions regarding the Bid Documents are to be directed to Dan Bronson, Public Works Fleet Coordinator, by email at [dan.bronson@losbanos.org](mailto:dan.bronson@losbanos.org).

Bids shall be submitted only on forms provided in the Bid Packet. Bids shall be in the hands of the City Clerk of the City of Los Banos, 520 J Street, Los Banos, California, 93635 on or before the hour of 2:00 p.m. PDT on **Tuesday, September 18, 2018** No late Bids will be accepted and will be returned unopened. No oral, telegraphic, electronic, facsimile, or telephone bid submittals or modifications will be considered. Bids received after the bid submittal deadline will be rejected and returned to the Bidder unopened.

The Bid Proposal forms can be obtained from the City of Los Banos website at [www.losbanos.org](http://www.losbanos.org).

The City of Los Banos reserves the right to reject any and/or all Bids received.

## Information for Bidders

Bids will be received by the City of Los Banos Office of the City Clerk for the Owner, at the City Council Chambers of the City of Los Banos, 520 J Street, Los Banos, CA, 93635, until 2:00 p.m. Pacific Daylight Savings Time (PDT), on **Tuesday, September 18, 2018** then publicly opened and read aloud. Each Bid must contain one complete original set of Bid Proposal Forms. The Bid Proposal forms include "Specifications Compliance" and "Bid Form". The Addendum, if issued, will be posted on the City's website at [www.losbanos.org](http://www.losbanos.org). Bidder must acknowledge Addendum, if issued, by submitting signed Addendum with the Bid Proposal Forms. The completed Bid must be submitted in a sealed envelope and addressed to the Owner at 520 J Street, Los Banos, CA 93635. Each sealed envelope containing a Bid must be plainly marked on the outside as "**Medium Duty Truck Bid**"; **Attention City Clerk**", and the envelope shall also bear on the outside, the name of the Bidder, and their address. If forwarded by mail, the sealed envelope containing the Bid Proposal forms must be enclosed in another envelope addressed to the City of Los Banos at 520 J Street, Los Banos, CA, 93635, and both envelopes clearly state "**Medium Duty Truck Bid**"; **Attention City Clerk**".

Total Bid Price must be filled in, in ink or typewritten, and the Bid Form must be fully completed and executed when submitted, unless otherwise indicated. The Bid Form shall be signed by a person or persons legally authorized to bind Bidder to the Contract. The individuals signing each document shall warrant that they are authorized to bind the Bidder. Mistakes must be corrected and the correction inserted; correction must be initialed in ink by person signing the Bid Form. Each Bidder is responsible for the review of the Bid documents.

The Owner may waive any informalities or minor defects or reject any and all Bids. Any Bid may be withdrawn prior to the above scheduled time for the opening of Bid or authorized postponement thereof. Any Bid received after the time and date specified shall not be considered. All Bids shall remain firm for at least ninety (90) calendar days after the date and time of the bid opening unless otherwise specified. Should there be reasons why the Bid cannot be awarded within the specified period; the time may be extended by mutual agreement between the Owner and the Bidder. Award of Bid will be to the lowest responsible Bidder as determined by the Owner. A conditional or qualified Bid will not be accepted. The failure and omission of any Bidder to do any of the foregoing shall not relieve any Bidder from any obligation with respect to the Bid. The Owner will not be responsible for, nor be bound by, any oral instructions, interpretations, or explanations issued by the Owner or its representatives. Any request for clarifications or questions of the bid documents shall be emailed to:

Dan Bronson, Public Works Fleet Coordinator  
[dan.bronson@losbanos.org](mailto:dan.bronson@losbanos.org)

Requests for clarification or questions shall be delivered to the Owner by 5:00 p.m. PDT on **Wednesday, September 05, 2018**. Any Owner response to a request for clarification, questions and answers will be posted to the City's website at [www.losbanos.org](http://www.losbanos.org) not later than 5:00 p.m. PDT, **Friday, September 07, 2018** and if necessary become a part of the Bid as an Addendum. The proposed timeline of events associated with the awarding of Bid Proposal:

Release of Advertisement for Bids		Friday, August 17, 2018
Deadline to submit questions/clarifications	5:00 p.m.	Wednesday, September 5, 2018
Addendum/Questions/Clarifications Posted	5:00 p.m.	Friday, September 7, 2018
Bid Opening	2:00 p.m.	Tuesday, September 18, 2018
City Council Awards Bid		Wednesday, October 17, 2018
Issuance of a Purchase Order	By	Friday, October 26, 2018

Prior to receiving, the New 2018/2019 Model Medium Duty Flat Bed Utility Truck will be inspected to insure the vehicle meets the specifications. The new truck must be completely assembled, ready to operate, and serviced with **FULL TANK OF FUEL** by Bidder prior to acceptance by the Owner.

## Specifications Compliance

The Bidder shall note their compliance with each specification in the box provided with an X or check mark. Each line item requires an X or check mark. **Any specification left blank shall be considered a non-responsive Bid and will be rejected.** Any deviations from the specifications or where submitted literature does not fully support the meeting of the specifications, must be clearly cited and explained by the Bidder in the comment section following the specifications. The Owner will be responsible for determining specifications compliance.

### Yes No Each line specification requires checking either the Yes or No box

- Truck supplied shall be the manufacturer's current production model and shall be bid with all of the standard equipment as specified in the manufacturer's printed literature. In addition, the truck shall include the equipment shown on the subsequent specifications, but may not be limited to said equipment.
- Bidder shall quote purchase price to include manufacturer's warranty for One (1) New 2018/2019 Medium Duty Flat Bed Utility Truck. The warranty shall commence upon acceptance of the completed vehicle by the Owner.
- Bidder shall quote the price for the One (1) New 2018/2019 Medium Duty Flat Bed Utility Truck including eight and a quarter percent (8.25%) sales tax, but excluding Federal excise tax. Bidder quote shall include delivery charges to the Owner.
- Truck must meet all current air quality standards, California Emission Control Regulations, all Federal Safety Standards, and Department of Motor Vehicle Regulations.
- Bid shall include estimated delivery date of One (1) New 2018/2019 Medium Duty Flat Bed Utility Truck. The estimated delivery date shall be one hundred eighty (180) days or less from the date of bid award.
- In the event that the new truck have not arrived at the Owner facilities, 1015 F Street, Los Banos California, on or before the estimated delivery date, liquidated damages can be charged at the rate of one percent per calendar day of the unit price of the truck not delivered in accordance with the time specified on the bid proposal.

Specifications Compliance - Continued

**Yes No**

**Each line specification requires checking either the Yes or No box**

- New 2018/2019 Class 4 regular cab pickup with 14 foot utility flat bed (or equivalent).
- Bed shall be 8' wide and consistent with attaining a low profile work height.
- Heater, Defroster, Air conditioner.
- Cruise control.
- LED compartment lighting.
- 6.0 L (minimum) V-8 gas engine.
- 6 Speed automatic transmission with overdrive.
- Four wheel antilock disc brakes.
- 4 up-fitter switches with applicable wiring harness installed (if available).
- 40/20/40 seat with fold down armrest/console.
- Rubber floor covering.
- Floor mats with manufacturer's logo installed.
- Power outside mirrors.
- Paint – white.
- Intermittent windshield wipers.
- Tow package: Pintle hook/ball trailer hitch with 7 wire RV wiring harness with electric brake controller.
- Fire extinguisher – 5 lbs ABC and first aid kit (mounted).
- AM/FM stereo with Bluetooth capability.
- Power windows and door locks.
- 73" Federal signal work truck navigator light bar 360 degree of light output. Amber and clear LED work lights 30 flash patterns including flood option (mounted) (or equivalent).
- Bed area Rhino lined (or equivalent).
- Manufactures cab step running boards, both sides.
- Two (2) (APM-GL20004-16CC) Golight LED Spotlight on Telescoping Pole Mount - Wireless Remote - 16' Coil Cord - 900' Spot Beam (mounted to front side of bed at back of cab right & left) (or equivalent).
- Six (6) complete sets of keys for truck and utility truck boxes. Locks shall be keyed same as truck. (if available).
- Must be delivered with full tank of fuel.
- Warranty 5 year/100,000 mile or 5,000 engine hour bumper to bumper.

**THIS PAGE MUST BE COMPLETED AND RETURNED WITH BID PROPOSAL FORMS**

Specifications Compliance - Continued

**Yes No Each line specification requires checking either the Yes or No box**

**MISCELLANEOUS**

- PTO driven Air Compressor (185cfm)/Generator (6-10 kw)- 250 amp welder.
- 50' of 1" high pressure air hose on retractable reel (Hannay) mounted under the bed behind the under body box on the passenger side of the bed (or equivalent).
- External, spin-on air-oil separating element.
- Service/control line moisture separators.
- OSHA safety valve (velocity fuse).
- Tool oiler/lubricator.
- Two (2) 30' "Artic Leash" retractable power cords, one mounted to the side of the second 60" box on the driver's side and one mounted at the right rear near the crane and powered from the generator (or equivalent).
- Inset receptacles to hold a medium size Oxy/Acetylene welding bottle set just inside of the top opening box on the right side with retaining clamp(s) to secure the bottles to the head board.
- 50' Oxy/Acetylene welding hose on a retractable reel (with 3' leader) mounted next to or in front of the Hannay hose reel on the right side of the bed (or equivalent).
- Fold down Wilton vice stand (mounted just in front of the crane pedestal).
- 50' of arc welding cable on a retractable reel mounted at the rear of the truck with stick holder and ground clamp inside an enclosed box with proper chaffing protection or a box roller set and a door to protect from moisture and dirt.
- Class IV Hitch receiver (for vise mount) under the bed rail just in front of the crane pedestal.
- Work light mounted to end of the EHC-3<sup>2</sup> crane with automatic power cord reel, to be integrated in the crane power supply.
- Operating manuals/instructions for all installed equipment.

**BED**

- 14' contractor's style flat bed appropriate to install on a new 2018/19 medium duty truck (108 CA) cab and chassis. Bed shall be 8' wide and consistent with attaining a low profile work height.
- Class IV Hitch (receiver with 2 5/8" Hitch) and 7 wire flat (spade type) trailer plug connector.
- Bed deck to be 3/16" steel diamond plate with a "Poly Urea" slip resistant coating on the first ten (10) feet (measured from the headboard) with protective undercoating on the entire under side of the bed.
- Remaining four (4) feet of bed to be painted with a black slip resistant HD service paint.
- Bed access ladder/steps (with two handrails) at the rear of the bed on the driver's side to provide 3 point contact access onto and off of the bed area with non slip grip steps.
- 4 inch removable rail around bed to prevent dirt and debris from falling out.

**THIS PAGE MUST BE COMPLETED AND RETURNED WITH BID PROPOSAL FORMS**

Specifications Compliance - Continued

**Yes No**      **Each line specification requires checking either the Yes or No box**

**LOAD MANAGEMENT**

- 3,200 lbs (1,452 kg) Autocrane (EHC-3<sup>2</sup>), with wireless remote control pendant, to be mounted at the right rear corner of the bed and to include a drop down support leg (outrigger) located under the crane at the corner of the bed. Please include one boom cradle parallel to the bed rail of sufficient height (4') to clear the top opening bed box mounted on the deck on the right side (or equivalent).
- NexStar I – Wireless Remote Control System (or equivalent).
- 100% proportional control.
- Full-featured 8-button handheld transmitter is IP66 rated and CE certified (up to 100 hours crane operation on two AA batteries (or equivalent).
- Receiver with large-format LCD diagnostic/status message screen.
- Boom-mounted LED crane status light.
- Tri-axis boom/truck level crane load management sensors (or equivalent).
- 4 recessed 5/8" tie down rings, two on each side rear and middle of bed.

**BOXES**

- Driver's side front shall have two boxes inset into the bed in a manner as to provide adequate ground clearance. The front box to be 60" tall x 34" wide x 20" deep split in two sections; the bottom section to have three (3) 3" full width roller bearing drawers, three (3) 4" full width roller bearing drawers, and two (2) 6" full width roller bearing drawers. The back box to be 60" tall x 24" wide x 20" deep with six "J" hooks sufficient to hold chain binders and chains and other items and provision for work signs. One underbody box, mounted directly behind the two 60" boxes, 18" tall x 36" wide x 18" deep with a drop opening door with support chains.
- Passenger side front to have one 18" tall x 48" wide x 18" deep top opening box on the bed and one 18" tall x 60" wide x 18" deep underbody material box w/drop opening door and door support chains.





# Bid Form

TO: OWNER  
City of Los Banos  
520 J Street  
Los Banos, CA 93635

DATE: \_\_\_\_\_

In compliance with the Invitation for Sealed Bids for **One New 2018/2019 Model Heavy Duty Utility Flat Bed Truck**, the undersigned, as Bidder, hereby offers to sell to the Owner, in accordance with the terms, conditions, requirements and specifications set forth in the Bid documents for the price quoted on this Bid Form for **One New 2018/2019 Model Heavy Duty Utility Flat Bed Truck**.

MANUFACTURER: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

DELIVERY DATE: \_\_\_\_\_  
One Hundred eighty (180) days or less from the date Owner issues Purchase Order

**TOTAL BID PRICE \$** \_\_\_\_\_  
Total Bid Price includes California Sales Tax, California Tire Recycling Fee, DMV documentation fees, freight, and delivery charges but excludes Federal Excise Tax, if any.

Total Bid Price Written:

\_\_\_\_\_ written form

The undersigned certifies under penalty of perjury that the quotation on this Bid Form constitutes a bona-fide offer to sell, that he/she is an authorized representative of the company listed, that the quotation is in no way sham or collusive, and that issuance of a Purchase Order by Owner constitutes acceptance of bidder's offer on the terms and conditions stated in the Bid documents, and forms a contract. Bidder will not withdraw its Bid for at least ninety (90) calendar days from the date and time of the bid opening.

\_\_\_\_\_  
BIDDER'S COMPANY

\_\_\_\_\_  
PRINT NAME - AUTHORIZED

\_\_\_\_\_  
ADDRESS

\_\_\_\_\_  
AUTHORIZED SIGNATURE

\_\_\_\_\_  
TELEPHONE NUMBER

**ARE YOU CLAIMING A LOCAL BUSINESS PREFERENCE?** \_\_\_\_\_ **YES** \_\_\_\_\_ **NO**

If yes submit written proof of the address of your principle place of business and a copy of your current City business license.

**THIS PAGE MUST BE COMPLETED AND RETURNED WITH BID PROPOSAL FORMS**